Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3174	(330/253 330/252).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/19 18:49
L2	12	1 and (load adj (inductor choke))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/19 18:49
L3	65	1 and (load adj capacitor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/19 18:51
L4	4	(2 3) and (resonant adj circuit)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	.ON	2007/06/19 18:51
S1	1456	330/253.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OŖ	ON	2006/05/13 15:35
S2	8	S1 and ((load adj inductor) choke)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/30 20:55
S3	49	S1 and (load adj capacitor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/30 20:55
S4	0	S2 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/30 20:55
S5	69	S1 and (inductor choke)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/30 20:56
S6	712	S1 and capacitor	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/30 20:56
<b>S7</b>	51	S5 and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/31 15:31

		·				
<b>S8</b>	2	"6340899".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR .	ON	2005/08/31 15:32
S9	7810	(resonant adj circuit) and (amplify amplifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/31 18:56
S10	3693	S9 and ((load adj inductor) inductor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/31 18:57
S11	6370	S9 and ((load adj capacitor) capacitor (variable adj capactior))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/31 18:57
S12	3940	S9 and ((load adj inductor) inductor choke)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/31 18:57
S13	3791	S11 and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/31 18:58
S14	0	S13 and "330".ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/31 18:58
S15	349	S13 and "330"/.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/31 20:19
S16	54	S15 and (variable adj capacitor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/19 12:48
S17	1	GB2288502	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 17:48
S18	3592586	GB "2288502"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 17:49
S19	462275	S18 and variable capacitance	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR ·	ON	2005/09/01 17:49

S20	295047	"2288502" and variable capacitance	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON .	2005/09/01 17:49	
S21	1	"2288502" and (variable adj capacitance)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/01 17:49	
S22	54654	okamoto.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/02 21:13	
S23	59	S22 and fuyuki	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/02 21:13	
S24	2958	(pair plurality second two) near2 (resonant adj2 circuit)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/08 14:17	
S25	41	S24 with (variable adj2 capacitor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/08 14:03	
S26	79	S24 same (variable adj2 capacitor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/08 12:41	
S27	30	(S25 S26) and (switch fet bjt transistor) and amplifier	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/08 14:21	
S28	1945	S24 and (switch fet bjt transistor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/08 14:17	
S29	1120	S24 and ((pair plurality second two) near3 (switch fet bjt transistor))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/08 14:18	
S30	609	S29 and (amplifier ((amplifying amplification) adj2 (circuit device)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/08 16:05	
S31	62	S30 and ("330"/\$\$\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OŖ	ON	2006/05/08 17:33	

		[	T			
S32		10/392877	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/13 15:13
S33 ·	24016	resonant adj2 circuit	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/19 12:48
S34	14278	S33 and (switch transistor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/13 15:49
S35	84	S34 and ((vary variable varied) near6 (frequency adj2 characteristics))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/19 12:49
S36	32139	(resonant tuned) adj2 circuit	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/19 12:48
S37	674	S36 with (variable adj capacitor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/19 12:49
S38	1055	S36 same (variable adj capacitor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/19 12:49
S39	8	(S37 S38) and ((vary variable varied) near6 (frequency adj2 characteristics))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/19 12:54
S40	139	S36 and ((vary variable varied) near6 (frequency adj2 characteristics))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/19 12:54